

WHAT IS CLAIMED IS:

1. An offset pen, comprising:
 - a holding portion provided for a user to operate with hand;
 - a writing portion, in which a writing tip is provided for writing and a writing
 - 5 tip seat is provided around the outside of the writing tip;
 - an intermediate portion connected between a front end of said holding portion
 - and a back end of said writing portion so that a visible space is formed
 - between the writing portion and the holding portion; and
 - the holding portion is provided with a storage chamber capable of allowing a
 - 10 plurality of writing tips, wherein the storage chamber extends to the
 - intermediate portion to deposit the writing tips ready for replacement.
2. The offset pen according to claim 1, in which the writing tip capable of
- marking is made of a pencil; a coloring pencil, a charcoal, a wax writing, a
- 15 power coloring writing, a rubber, a water fiber writing tip, a water animal
- wool writing tip, a water chemical wool fiber writing tip, a water
- plastics-combined writing tip, all of which tips are in the form of water, oil,
- and powder solid body.
3. The offset pen according to claim 1, in which a protruding rib is provided on
- 20 the surface of the writing tip seat so that the writing tip seat, closely contacted
- with the writing portion, may also be smoothly drawn out of the writing
- portion.
4. The offset pen according to claim 1, in which a fixing pillar is formed at the
- 25

writing portion and then fixed to said portion so that the fixing pillar may hold to prevent the writing tip from drawing back.

- 5 5. The offset pen according to claim 4, in which a protruding enhancement rib is provided on the surface of the fixing pillar in order to reduce friction so that the fixing pillar, closely contacted with the writing tip seat, may also be smoothly drawn out of the writing tip seat.
- 10 6. The offset pen according to claim 4, in which the fixing pillar is flexible in length by the thread or by other wedge.
- 15 7. The offset pen according to claim 1, in which the front end of the writing portion is provided with a fixing pillar capable of holding to prevent the pen tip from drawing back when the pen tip seat is covered around the fixing pillar.
- 20 8. The offset pen according to claim 1, in which a larger writing tip seat following the required specification may be located at the writing portion from outside.
- 25 9. The offset pen according to claim 8, in which the writing tip seat and the writing portion are together connected with a thread or locked otherwise.
10. The offset pen according to claim 1, in which the front section of the storage chamber is provided with a confining fringe used to fix the writing tip seat of the

forefront side; then, it makes the front section of the writing tip seat form a buffer space to prevent the user from being stabbed when the pen tip stretches out.

5 11. The offset pen according to claim 1, in which the tail of the holding portion may be provided with a rubber.

12. The offset pen according to claim 1, in which the holding portion, the writing portion, and the intermediate portion are all-in-one made.

10

13. The offset pen according to claim 1, in which the holding portion is provided with a polygonal handhold for smooth holding effect.

14. The offset pen according to claim 13, in which the holding portion and the
15 handhold are all-in-one made.

15. The offset pen according to claim 13, in which the handhold may be made of soft materials and additionally covered around the holding portion for the user to smoothly hold by hand.

20

16. The offset pen according to claim 17, in which the handhold may be made of soft materials, in which the handhold is somewhat triangular for the purpose of preferable holding.

25 17. The offset pen according to claim 1, in which an inner tube is provided in

said storage chamber, wherein writing tips ready for replacement are contained in said inner tube so that the whole inner tube may be directly replaced with another one, and a distance between the inner tube and the writing tip may be limited to make each writing tip smoothly move without writing tips jam.

5

18. The offset pen according to claim 1, in which The intermediate portion is provided with one or more aesthetic hole, in which said aesthetic hole is in the form of random geometry.

10 19. The offset pen according to claim 1, in which the head of the writing portion is provided with

a push portion for the user to have a forefinger contact against the side of the push portion when holding the offset pen.

15 20. The offset pen according to claim 1, in which any or both ends of the storage chamber are provided with openings to store the pen tips ready for replacement.

21. The offset pen according to claim 1, in which a connecting part is provided on the holding portion to connect with by way of the thread or other wedge so
20 that the holding portion may be opened to load or get the pen tip ready for replacement.